

SPECIAL COMMISSIONER'S PUBLIC AUCTION

RECEIVED JUL 15 2013

WEDNESDAY, JULY 24, 2013
12:00 O'CLOCK NOON
AT THE SOUTHAMPTON COUNTY COURTHOUSE
22350 MAIN STREET
COURTLAND, VIRGINIA

SOUTHAMPTON COUNTY TAX PARCELS 76-34, 34A, AND 34B.
THESE FRONT ON THE SOUTHWEST SIDE OF ROUTE 58
(SOUTHAMPTON PARKWAY) AND HAVE VALUABLE FRONTAGE
THEREON. THE PROPERTY IS SOUTHEAST OF, BUT NOT
ADJACENT TO, PULLEY DRIVE.
THE PROPERTY IS ZONED INDUSTRIAL M-1. SEE SECTION 18-282 (a) OF
THE SOUTHAMPTON COUNTY CODE.

Pursuant to that certain Order entered in the Circuit Court of Southampton County, Virginia, on June 13, 2013, in that suit styled John H. Simpson v. Katherine Collette Johnson (Case No. CL08-415), and in accordance with applicable Virginia law, the undersigned Special Commissioner will offer for sale at the Southampton County Courthouse at 12:00 Noon on Wednesday, July 24, 2013, the following described real estate, to-wit:

I. "All that certain lot or parcel of land situate in Jerusalem Magisterial District, Southampton County, Virginia, on the southwestern side of the Courtland-Franklin Highway (now U. S. Highway No. 58) near Darden's Mill, and being all the unsold residue of a lot originally containing $\frac{1}{2}$ of an acre, more or less, which was conveyed to Annie Johnson by deed of J. R. Ruffin, et als, Trustees of Moral Training and Love Union, dated February 18, 1928, or record in the Clerk's Office of the Circuit Court of Southampton County, Virginia, in Deed Book 69 at page 411, after deducting therefrom a portion of said lot which was conveyed to Lindwood (as "Linwood") Johnson and Hugh Stith by deed of Annie Johnson, dated December 16, 1952, of record in the Clerk's Office aforesaid in Deed Book 104 at page 166.

II. "That certain lot or parcel of land lying and being situate in Jerusalem Magisterial District, Southampton County, Virginia, on the Southwestern side of the Courtland-Franklin highway, near Darden's Mill, and near where the road leading to Goldie Ricks' intersects said highway, being more particularly described as follows: Beginning at a point on the Southwest side of said highway near an iron stake, driven in the ground, which iron stake is located a few feet Southeast of the home now occupied by Annie Johnson; thence in a straight line and running almost perpendicular with the said highway and along the line of the remaining portion of the Annie Johnson land, to the land belonging to the estate of C. W. Darden; thence in a Southerly direction along the land of C. W. Darden to a point, a corner on C. W. Darden; thence in an Easterly direction and approximately parallel to the Annie Johnson line and along the land of C. W. Darden to the said highway; thence Northerly along the said highway to the point of beginning."

It being in all respects the same property conveyed by Kathy C. Johnson to Annie L. Johnson by deed dated August 3, 2004, and recorded August 5, 2004, in the Clerk's Office of the Circuit Court of Southampton County, Virginia, as Instrument # 040003190.

GENERAL INFORMATION:

Said property consists of Southampton County Tax Parcels 76-34, 34A, and 34B.

According to Southampton County records said property is currently zoned Industrial M-1, with permitted uses being set out in Section 18-282 of the Southampton County Code. Special attention is directed to Section 18-282 (a) 26.1 relating to general advertising signs.

Southampton County Tax Parcel 76-29B 1 lying to the southeast and southwest of the sale property is currently zoned A-1.

The property to be sold has valuable frontage on the southwest side of Route 58 (Southampton Parkway). Although there is no identified survey of the property being sold, maps prepared in the course of the acquisition of the easement for the hereinafter mentioned sewer and water lines, indicate this frontage to be approximately 167 feet (not guaranteed).

Southampton County sewer and water lines have been installed along the northeastern edge of said property, adjacent to Route 58 (Southampton Parkway).

For purposes of identifying the property to be sold, it is noted that there is located thereon a partially demolished frame structure and a masonry structure.

TERMS:


1. Sale is subject to Confirmation by the Court. A Confirmation hearing will be scheduled in the Circuit Court of Southampton County as soon as practicable after the sale.
2. The entire sale area will be offered only as one parcel.
3. Bidder's deposit, deadline for closing and location of closing will be determined by the Court at the Confirmation hearing. It is anticipated that the deposit will be 10% of any bid confirmed.
4. Possession of said property will pass at closing. Rent (if any) and taxes will be pro-rated as of closing.
5. Conveyance to be by SPECIAL WARRANTY deed, subject to all easements of record or which are apparent upon a physical inspection of the said property.
6. Said property will be conveyed "as is" with no guarantee as to suitability for any particular purpose.
7. A FOR SALE SIGN will be placed on the property. The sign and tax map references, as well as the attached location map are for purposes of general location only, and not to show boundaries.
8. Prospective purchaser may visit the property, but do so at their own risk. For reasons of safety, the structures on the property are not to be entered.

9. The "General Information" given herein has been gathered from sources believed to be reliable but is not guaranteed, and prospective purchasers should conduct their own due diligence as to all matters relating to the property.

10. Announcements at sale, if any, shall take precedence over this sale notice.

FOR FURTHER INFORMATION CONTACT:

CHARLES B. ROWE, SPECIAL COMMISSIONER
Pulley & Rowe, Attorneys
22312 Main Street
P. O. Box 99
Courtland, VA 23837
Phone: (757) 653-2232
Email: pulleyandrowe@verizon.net



CITY OF
FRANKLIN

PROPERTY
SITE

Courtland
SEE INSERT B

Newsoms

Capron



FRANKLIN
MUNICIPAL
AIRPORT



RECEIVED JUL 17 2013

COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Street address: 629 East Main Street, Richmond, Virginia 23219

Mailing address: P.O. Box 1105, Richmond, Virginia 23218

Fax: 804-698-4019 - TDD (804) 698-4021

www.deq.virginia.gov

Douglas W. Domenech
Secretary of Natural Resources

David K. Paylor
Director

(804) 698-4020
1-800-592-5482

July 16, 2013

Mr. Michael W. Johnson
County Administrator
Southampton County
P.O. Box 400
Courtland, Virginia 23837

Dear Mr. Johnson:

The Department of Environmental Quality has received an application to withdraw groundwater in the Eastern Virginia Ground Water Management Area. 9 VAC 25-610-250 B of the Virginia Ground Water Withdrawal Regulation requires that the DEQ send a notice of each draft permit to each local governing body located within the groundwater management area where the proposed withdrawal will occur.

In accordance with this section, please find the enclosed notice that will be advertised in The Tidewater News on Sunday, July 21, 2013. Additional information on the permit application may be obtained by contacting me.

The Department will accept comments concerning the proposed issuance of this draft permit for thirty days. All comments must be received by 4 p.m. on August 20, 2013.

Sincerely,

Brenda L. Brown

Brenda L. Brown
Groundwater Permit Writer

Enclosure

Public Notice – Environmental Permit

PURPOSE OF NOTICE: To seek public comment on a draft permit from the Department of Environmental Quality for the withdrawal of groundwater in Southampton County, Virginia.

PUBLIC COMMENT PERIOD: July 21, 2013 to August 20, 2013

PERMIT NAME: Groundwater Withdrawal Permit issued by DEQ, under the authority of the State Water Control Board

APPLICANT NAME, ADDRESS AND PERMIT NUMBER: Southampton County, 26022 Administration Center Drive, Courtland, Virginia 23837; GW0043201

NAME AND LOCATION OF WATER WITHDRAWAL: Newsoms, Rt. 1405 north of Town of Newsoms Office Building, Newsoms, Virginia

PROJECT DESCRIPTION: Southampton County has applied for reissuance of a permit, with modification, for Newsoms, Virginia. The permit would allow the applicant to withdraw an average of 63,288 gallons per day. The groundwater withdrawal will be used for a public water supply to the Town. The proposed withdrawal will utilize the Middle Potomac Aquifer at a depth between 282 feet to 400 feet below land surface at the withdrawal site. An aquifer is a body of rock or layer of sediment in the ground in which groundwater is stored and transported. DEQ has made a tentative decision to issue the permit.

AFFECTED AREA: The radial distance from the wells to where computer modeling predicts the aquifer may experience one foot of drawdown due to the withdrawal does not extend beyond the applicant's property.

HOW TO COMMENT AND OR REQUEST A PUBLIC HEARING: DEQ accepts comments and requests for public hearing by e-mail, fax or postal mail. All comments and requests must be in writing and be received by DEQ during the comment period. Submittals must include the names, mailing addresses and telephone numbers of the commenter/requester and of all persons represented by the commenter/requester. A request for public hearing must also include: 1) The reason why a public hearing is requested. 2) A brief, informal statement regarding the nature and extent of the interest of the requester or of those represented by the requestor, including how and to what extent such interest would be directly and adversely affected by the permit. 3) Specific references, where possible, to terms and conditions of the permit with suggested revisions. DEQ may hold a public hearing, including another comment period, if public response is significant and there are substantial, disputed issues relevant to the proposed permit. **CONTACT FOR PUBLIC COMMENTS, DOCUMENT REQUESTS AND ADDITIONAL INFORMATION:** Brenda Brown; Tidewater Regional Office, 5636 Southern Blvd., Virginia Beach, VA, 23462; Phone: (757) 518-2188; E-mail: brenda.brown@deq.virginia.gov; FAX: (757) 518-2009. The public may review the draft permit and application at the DEQ office named above by appointment.



RECEIVED JUL 3 2013

COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Street address: 629 East Main Street, Richmond, Virginia 23219

Mailing address: P.O. Box 1105, Richmond, Virginia 23218

Fax: 804-698-4019 - TDD (804) 698-4021

www.deq.virginia.gov

Douglas W. Domenech
Secretary of Natural Resources

David K. Paylor
Director

(804) 698-4020
1-800-592-5482

July 2, 2013

Mr. Michael W. Johnson
County Administrator
Southampton County
P.O. Box 400
Courtland, Virginia 23837

Dear Mr. Johnson:

The Department of Environmental Quality has received an application to withdraw groundwater in the Eastern Virginia Ground Water Management Area. 9 VAC 25-610-250 B of the Virginia Ground Water Withdrawal Regulation requires that the DEQ send a notice of each draft permit to each local governing body located within the groundwater management area where the proposed withdrawal will occur.

In accordance with this section, please find the enclosed notice that will be advertised in The Tidewater News on Sunday, July 7, 2013. Additional information on the permit application may be obtained by contacting me.

The Department will accept comments concerning the proposed issuance of this draft permit for thirty days. All comments must be received by 4 p.m. on August 6, 2013.

Sincerely,

A handwritten signature in cursive script that reads "Brenda L. Brown".

Brenda L. Brown
Groundwater Permit Writer

Enclosure

Public Notice – Environmental Permit

PURPOSE OF NOTICE: To seek public comment on a draft permit from the Department of Environmental Quality for the withdrawal of groundwater in Southampton County, Virginia.

PUBLIC COMMENT PERIOD: July 7, 2013 to August 6, 2013

PERMIT NAME: Groundwater Withdrawal Permit issued by DEQ, under the authority of the State Water Control Board

APPLICANT NAME, ADDRESS AND PERMIT NUMBER: Narricot Industries, LLC, 804 Green Valley Road, Suite 300, Greensboro, North Carolina 27408, GW0043501

NAME AND LOCATION OF WATER WITHDRAWAL: Narricot Industries, LLC, 32056 East Circle, Boykins, Virginia

PROJECT DESCRIPTION: Narricot Industries, LLC has applied for reissuance of a permit, with modification, for Narricot Industries, LLC in Boykins, Virginia. The permit would allow the applicant to withdraw an average of 143,151 gallons per day. The groundwater withdrawal will be used for industrial purposes to provide water for the dyeing and finishing of webbing. The proposed withdrawal will utilize the Middle Potomac aquifer at a depth between 190 feet to 310 feet below the land surface at the withdrawal site. An aquifer is a body of rock or layer of sediment in the ground in which groundwater is stored and transported. DEQ has made a tentative decision to issue the permit.

AFFECTED AREA: The radial distance from the wells to where computer modeling predicts the aquifer may experience one foot of drawdown due to the withdrawal is illustrated on a map that can be viewed at <http://www.deq.virginia.gov/Programs/Water/WaterSupplyWaterQuantity/GroundwaterPermitting/PublicNotices.aspx>.

HOW TO COMMENT AND OR REQUEST A PUBLIC HEARING: DEQ accepts comments and requests for public hearing by e-mail, fax or postal mail. All comments and requests must be in writing and be received by DEQ during the comment period. Submittals must include the names, mailing addresses and telephone numbers of the commenter/requester and of all persons represented by the commenter/requester. A request for public hearing must also include: 1) The reason why a public hearing is requested. 2) A brief, informal statement regarding the nature and extent of the interest of the requester or of those represented by the requestor, including how and to what extent such interest would be directly and adversely affected by the permit. 3) Specific references, where possible, to terms and conditions of the permit with suggested revisions. DEQ may hold a public hearing, including another comment period, if public response is significant and there are substantial, disputed issues relevant to the proposed permit. **CONTACT FOR PUBLIC COMMENTS, DOCUMENT REQUESTS AND ADDITIONAL INFORMATION:** Brenda Brown; Tidewater Regional Office, 5636 Southern Blvd., Virginia Beach, VA, 23462; Phone: (757) 518-2188; E-mail: brenda.brown@deq.virginia.gov; FAX: (757) 518-2009. The public may review the draft permit and application at the DEQ office named above by appointment.



RECEIVED JUL 1 2013

COMMONWEALTH of VIRGINIA

DEPARTMENT OF HEALTH

OFFICE OF DRINKING WATER

Southeast Virginia Field Office

830 Southampton Avenue
Suite 2058
Norfolk, VA 23510
Phone (757) 683-2000
Fax (757) 683-2007

Cynthia C. Romero, MD, FAAFP
State Health Commissioner

John J. Aulbach II, PE
Director, Office of Drinking Water

JUN 24 2013

NOTICE OF VIOLATION

SUBJECT: SOUTHAMPTON COUNTY
Water - Kingsdale-Moseley Waterworks
PWSID No. 3175461

Ms. Shanda Harper
Kingsdale-Moseley Waterworks
4240 Portsmouth Boulevard #177
Chesapeake, VA 23321

Re: Failure to Provide Public Notification
Failure to Submit Certification of Public Notice

Dear Ms. Harper:

This notice is to advise that you may be in violation of § 12 VAC 5-590-540 of the Commonwealth of Virginia *Waterworks Regulations* for failure to conduct the required public notification for certain violations and to notify this office of completion of any public notification. According to our records, public notification was required for the following:

<u>Violation</u>	<u>Monitoring Period</u>	<u>Public Notification Due</u>
Failure to collect bacteriological sample	January 2011	February 22, 2012
Failure to collect bacteriological sample	April 2011	June 14, 2012
Failure to collect bacteriological sample	November 2011	December 28, 2012
Failure to collect Nitrite / Nitrate sample	2008	June 14, 2012
Failure to collect Nitrite / Nitrate sample	2009	January 28, 2011
Failure to collect Nitrite / Nitrate sample	2011	February 1, 2013

Our records do not indicate that notice distribution or confirmation occurred as required.

Required Actions

Public Notice: Section § 12 VAC 5-590-540 of the *Waterworks Regulations* requires you to notify consumers that the prescribed public notification was not performed, as follows:

- You must provide notice to consumers no later than 30 days from the date of this letter.
- Your notice to customers must be mailed or directly delivered to each customer receiving a bill, and to other service connections served by your waterworks.

JUN 24 2013

SUBJECT: SOUTHAMPTON COUNTY
Water - Kingsdale-Moseley Waterworks
PWSID No. 3175461


- If your waterworks serves consumers who do not pay water bills, or do not have service connection addresses (apartment dwellers, university students, or nursing home patients, for example), you must also use other delivery methods to provide notice to these consumers as well. Examples of other methods include (but are not limited to) publication in local newspapers, delivery of multiple copies to apartment buildings, or posting the notice in public places served by the system.
- If your waterworks serves consumers who would not be reached by your posted, mailed, or hand-delivered notice, you must also use other distribution methods to provide notice to these consumers as well. For example, such persons may include those who may not see a posted notice because it is not in a location they routinely pass by. Examples of other methods include (but are not limited to) publication of a notice through a company newsletter, or by E-mail to staff or students.
- Posted notices must be readable and be protected by glass, plastic or other suitable covering. Posted notices must be posted for a minimum of seven days even if the violation has been resolved, and must remain in place as long as the violation persists.
- Until the violations are resolved, you must give a copy of the notice to all new billing units or new customers, before or at the time service begins.
- You must repeat distribution of the notice annually, for as long as the violation persists.

Draft Notice: Attached are draft notices for you to distribute to consumers. You may use these notices "as is", or modify them to better meet your situation, as long as the information is accurate and the notices contain all of the required elements and mandated language. If you decide to change the notices, we suggest that you contact this Office to verify that your proposed changes meet the requirements of the *Waterworks Regulations*.

Public Notice Confirmation: Within ten (10) days of completing public notification, you must provide this Office with a copy of the notice you distributed, along with signed certification of the distribution completion date and methods used. Failure to distribute public notice and report to the Virginia Department of Health may be a further violation of the *Waterworks Regulations*. Public Notification Completion Report forms are enclosed for your use.

Follow-up Actions: You must provide public notification for each notice of violation that has been issued to your waterworks.

If you have questions, please contact Mr. Tony Dongarra, Environmental Health Supervisor, Sr. at ext. 105 or me at ext. 113.

Sincerely,

Renee S. Hall
District Engineer

RSH/ssd
Enclosures

pc: Dr. Nancy Welch, Acting Director, Southampton County Health Department
✓ Mr. Michael W. Johnson, County Administrator, Southampton County
V.D.H. – Office of Drinking Water



RECEIVED JUN 26 2013

COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Street address: 629 East Main Street, Richmond, Virginia 23219

Mailing address: P.O. Box 1105, Richmond, Virginia 23218

Fax: 804-698-4019 - TDD (804) 698-4021

www.deq.virginia.gov

Douglas W. Domenech
Secretary of Natural Resources

David K. Paylor
Director

(804) 698-4020
1-800-592-5482

June 25, 2013

Mr. Michael W. Johnson
County Administrator
Southampton County
P.O. Box 400
Courtland, Virginia 23837

Dear Mr. Johnson:

The Department of Environmental Quality has received an application to withdraw groundwater in the Eastern Virginia Ground Water Management Area. 9 VAC 25-610-250 B of the Virginia Ground Water Withdrawal Regulation requires that the DEQ send a notice of each draft permit to each local governing body located within the groundwater management area where the proposed withdrawal will occur.

In accordance with this section, please find the enclosed notice that will be advertised in The Tidewater News on Sunday, June 30, 2013. Additional information on the permit application may be obtained by contacting me.

The Department will accept comments concerning the proposed issuance of this draft permit for thirty days. All comments must be received by 4 p.m. on July 30, 2013.

Sincerely,

Brenda L. Brown

Brenda L. Brown
Groundwater Permit Writer

Enclosure

Public Notice – Environmental Permit

PURPOSE OF NOTICE: To seek public comment on a draft permit from the Department of Environmental Quality for the withdrawal of groundwater in Southampton County, Virginia.

PUBLIC COMMENT PERIOD: June 30, 2013 to July 30, 2013

PERMIT NAME: Groundwater Withdrawal Permit issued by DEQ, under the authority of the State Water Control Board

APPLICANT NAME, ADDRESS AND PERMIT NUMBER: Southampton County, 26022 Administration Center Drive, Courtland, Virginia 23837; GW0056300

NAME AND LOCATION OF WATER WITHDRAWAL: Turner Tract Well System, southwest of the intersection of General Thomas Highway (Rt. 671) and Rose Valley Road (Rt. 688) in Franklin, Virginia

PROJECT DESCRIPTION: Southampton County has applied for a new permit for Turner Tract Well System. The permit would allow the applicant to withdraw an average of 75,343 gallons per day. The groundwater withdrawal will be used for Turner Tract Industrial Park and will also include connection of 31 existing residential users and 6 commercial users in the vicinity of the industrial park. The proposed withdrawal will utilize the Virginia Beach Aquifer at a depth between 110 feet to 165 feet below land surface at the withdrawal site. An aquifer is a body of rock or layer of sediment in the ground in which groundwater is stored and transported. DEQ has made a tentative decision to issue the permit.

AFFECTED AREA: The radial distance from the wells to where computer modeling predicts the aquifer may experience one foot of drawdown due to the withdrawal is illustrated on a map that can be viewed at <http://www.deq.virginia.gov/Programs/Water/WaterSupplyWaterQuantity/GroundwaterPermitting/PublicNotices.aspx>.

HOW TO COMMENT AND OR REQUEST A PUBLIC HEARING: DEQ accepts comments and requests for public hearing by e-mail, fax or postal mail. All comments and requests must be in writing and be received by DEQ during the comment period. Submittals must include the names, mailing addresses and telephone numbers of the commenter/requester and of all persons represented by the commenter/requester. A request for public hearing must also include: 1) The reason why a public hearing is requested. 2) A brief, informal statement regarding the nature and extent of the interest of the requester or of those represented by the requestor, including how and to what extent such interest would be directly and adversely affected by the permit. 3) Specific references, where possible, to terms and conditions of the permit with suggested revisions. DEQ may hold a public hearing, including another comment period, if public response is significant and there are substantial, disputed issues relevant to the proposed permit.

CONTACT FOR PUBLIC COMMENTS, DOCUMENT REQUESTS AND ADDITIONAL INFORMATION: Brenda Brown; Tidewater Regional Office, 5636 Southern Blvd., Virginia Beach, VA, 23462; Phone: (757) 518-2188; E-mail: brenda.brown@deq.virginia.gov; FAX: (757) 518-2009. The public may review the draft permit and application at the DEQ office named above by appointment.



RECEIVED JUL 15 2013

July 9, 2013

Mr. Michael Johnson
County Administrator
Southampton County
P O Box 400
Courtland, VA 23837

Dear Mr. Johnson:


Enclosed you will find a spreadsheet showing this past year's attendance of the Blackwater Regional Library board representatives from Southampton County.

This information is part of the reporting which is required in the current contract between Blackwater Regional Library and all localities.

The library board of a regional library is considered a "governing" board and therefore has fiscal responsibilities and sets the policies for the system. Representation is determined by a formula which is in the contract. Board members not only attend their monthly meetings but also perform a great deal of work in board committees. There are currently two active committees: Finance and Personnel and Policy.

If you have questions concerning the attendance of your representatives, please contact the Library Director at (757) 653-0298 x 303.

Sincerely,


Yvonne Hilliard-Bradley
Library Director

Blackwater Regional Library Board of Trustees Meeting Attendance 2012-2013												
Jurisdiction	Name	Jul	Sep	Oct	Nov	Jan	Feb	Mar	Apr	May	Jun	Total
Southampton County												
	Gloria Evans	X			X							2
	Bernadette Whitley	X	X	X	X		X	X		X	X	8
	Barbara Hoskie			X	X	X	X	X	X			6



RECEIVED JUL 3 2013

COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY
TIDEWATER REGIONAL OFFICE
5636 Southern Boulevard, Virginia Beach, Virginia 23462
(757) 518-2000 Fax (757) 518-2009
www.deq.virginia.gov

Doug Domenech
Secretary of Natural Resources

David K. Paylor
Director

Maria R. Nold
Regional Director

July 1, 2013

Michael W. Johnson, County Administrator
PO Box 400
Courtland, VA 23837

Dear Mr. Johnson:

On June 6, 2013, the Virginia Soil and Water Conservation Board (Board) reviewed the status of the progress being made by Southampton to adopt a stormwater management program, pursuant to §10.1-603.3.A of the Stormwater Management Act. In accordance with this provision, the Board is authorized to grant a 12-month extension to the local adoption deadline of June 13, 2013, provided the locality has made substantive progress towards the adoption of its local stormwater management program.

Based on its' review of the Southampton's materials provided in support of your extension request, I am pleased to advise you that the Board has granted the County's 12-month extension. Southampton now has until June 13, 2014 to adopt its' local Virginia Stormwater Management Program (VSMP). Please also note that over the coming year, staff will be communicating and working with your locality on additional benchmark deliverables that are part of the Board's approved adoption schedule. This process will be initiated in during the second week of July.

The Department of Environmental Quality (DEQ) is also in the process of finalizing two checklists for use by DEQ staff in evaluating the consistency of the local submittal packages with the VSMP Regulations. The first is a Required Elements Checklist which will list out all items that must be included a local VSMP program and application package. The second is a detailed listing of all program elements that must be incorporated into the local VSMP ordinance. While these checklists are to be used by staff in reviewing the local VSMP program submittals, your regional contact will provide you with copies of the checklists well in advance of the submittal of your preliminary final packages in December. The target date for the completion of these checklists is July 12, 2013.

We appreciate the County's efforts to comply with the requirements of §10.1-603.3.A and look forward to continuing to work with you on Southampton's final stormwater management program. If you have any questions or we can be of any assistance, please contact Noah M. Hill (757) 518-2024 or noah.hill@deq.virginia.gov.

Sincerely,



Melanie D. Davenport
Water Division Director

Cc: Beth Lewis, Community Developer
Noah Hill, DEQ Environmental Manager



RECEIVED JUN 26 2013

COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Street address: 629 East Main Street, Richmond, Virginia 23219

Mailing address: P.O. Box 1105, Richmond, Virginia 23218

Fax (804) 698-4500 TDD (804) 698-4021

www.deq.virginia.gov

L. Preston Bryant, Jr.
Secretary of Natural Resources

David K. Paylor
Director

(804) 698-4000
1-800-592-5482

June 25, 2013

Mr. Michael W. Johnson
County Administrator
Southampton County
P. O. Box 400
Courtland, Virginia 23837

Re: Southampton County
Boykins Wastewater Treatment Plant Upgrades
VCWRLF Project (FY-12) C-515498-01
Sewer Use Ordinance

Dear Mr. Johnson:

This office is in receipt of a Sewer Use Ordinance for the Southampton County as adopted by the Board of Supervisors on March 25, 2013. Based on a review of this ordinance, we have determined that it meets the requirements of the Virginia Clean Water Revolving Loan Fund Program.

If you should have any questions or comments regarding this report, please contact me at your earliest convenience.

Sincerely,

A handwritten signature in blue ink that reads "Walter A. Gills".

Walter A Gills, Program Manager
Clean Water Financing and Assistance Program

cc: Kim Butler, DEQ -TRO - CWFAP
Kelly Ward, DEQ Project Officer

Mike,

Status of one of our
trucks - it is still running...
but barely

Synette

June 24th, 2013

Southampton Cty. Public Works
17287 Pittman Rd.
Boykins, VA. 23827

Ref; 2000 Dodge Dakota Trk. # 343696

Mileage on Truck

287,417

Driven by Boykins
Treatment Plant
Operators

VIN #

1B7GG26X7YS726156

To Whom It Concerns,

All the safety fixtures were repaired on the truck.
However, pretty soon the truck will need a new transmission
and a new A/C system.

The cost of the Transmission & A/C system will exceed
the value of the truck.

In my opinion the truck has outlived its service life.



Henry G. Story
Story" Trk. & Equip Service
P.O. Box 10
Newsoms, Va.

757-654-6063



RECEIVED JUN 24 2013

FOR YOUTH DEVELOPMENT
FOR HEALTHY LIVING
FOR SOCIAL RESPONSIBILITY

May 10, 2013

Mr. Mike Johnson
Southampton County
22305 Main Street
Courtland VA 23837

Dear Mr. Johnson,

We believe that lasting personal and social change can only come about when we all work together to invest in our kids, our health and our neighbors. That is why, at the Y, strengthening community is our cause. Every day, we work side-by-side with our neighbors in our community to make sure that everyone, regardless of age, income or background, has the opportunity to learn, grow and thrive.

So, I am especially grateful for your generous gift of \$850.00 for our Black Achievers program. Teens will grow in leadership and responsibility. With your gift, we are on our way to exceeding our branch's community goal of \$17,800 to fund outreach and scholarship programs in 2013.

Please retain this letter for your records. It will verify to the Internal Revenue Service that you have received no goods or services in exchange for your gift. If you have any questions regarding your contribution, please contact Marsha Whitehead at 562-3491 or by email at mwhitehead@ymcashr.org.

Your generosity is setting an example for others across the Y to follow. Again, please accept our sincerest appreciation for your support of the 2013 **We Build People** campaign and the children and families in our community that depends on us the most.

Sincerely,

Kathleen S. Roberts
Branch Director

JAMES L. CAMP, JR. FAMILY YMCA
300 Crescent Drive, Franklin, VA 23851
P 757 562 3491 F 757 562 6831 W www.ymcashr.org

Mission: To put Judeo-Christian principles into practice through programs that build healthy spirit, mind and body for all.





RECEIVED JUN 21 2013

COMMONWEALTH of VIRGINIA

DEPARTMENT OF TRANSPORTATION
1401 EAST BROAD STREET
RICHMOND, VIRGINIA 23219-2000

Greg A. Whirley
COMMISSIONER

June 19, 2013

Southampton County
Mr. Michael W. Johnson
PO Box 400
Courtland, VA 23837

Dear Mr. Johnson:

The enclosed report contains all of the changes to the Secondary System of State Highways reviewed and approved by the Maintenance Division of the Virginia Department of Transportation (VDOT) in May 2013. The approval date of each change to the Secondary System is in the far right column of each report page. With the exception of Secondary System mileage abandonments legally enacted by county governments under State Code 33.1-151, all other changes to the Secondary System are approved by the VDOT State Maintenance Engineer, the VDOT Commissioner or the VDOT Commonwealth Transportation Board.

Please distribute this report to county/town land development and transportation officials so that county/town records of VDOT street maintenance can be properly updated and maintained.

If you have any questions about the Secondary System changes listed in this report, please contact the following persons in the VDOT Central Office Maintenance Division:

- Margaret Gregory (804-786-0716) for all changes in the Northern Virginia District (Fairfax, Loudoun, and Prince William Counties) and the Chesterfield Residency (Amelia, Chesterfield, and Powhatan Counties).
- Martin Law (804-786-0795) for all changes in all other counties in Virginia.

Emmett R. Heltzel, PE *MLL FOR E R HELTZEL*
State Maintenance Engineer,
Virginia Department of Transportation

ERH/ml

Report of changes to the highway system of:

County of Southampton

Report Period: 05/01/2013 through 05/31/2013

This document reports changes in the locality's VDOT maintained secondary system of state highways for the report period. Developer bonds held pending VDOT's acceptance of streets reported here may be released in accordance with the local ordinance.

Route	Street Name	RW Width (ft)	Mileage	Local Gov. Resolution	VDOT Effective Date
<u>Project: Sandy Creek</u>					
Type Change: Addition					
1141	Meadow Brooke Court	50	0.12	3/25/2013	5/24/2013
Termini: From: Route 1140 Pebble Brooke Drive To: Cul de sac					
1140	Peeble Brooke Drive	50	0.29	3/25/2013	5/24/2013
Termini: From: Route 637 Harris Road To: Route 1141 Meadow Brook Court					
1140	Peeble Brooke Drive	50	0.22	3/25/2013	5/24/2013
Termini: From: Route 1141 Meadow Brook Court To: Sandy Creek Drive					
Total Net Change in County's Mileage			0.63		

For information regarding this report, contact VDOT's Residency Administrator or Central Office (Suzanne Ellison (804) 786-0974)