

13. MISCELLANEOUSA. NOTICES

Attached for your reference please find copies of various notices (pages 2 – 11).

B. CORRESPONDENCE

Attached for your reference, please find copies of various items of correspondence (pages 12-17).



COMMONWEALTH of VIRGINIA

DEPARTMENT OF HEALTH

OFFICE OF DRINKING WATER

Cynthia C. Romero, MD, FAAFP
State Health Commissioner

John J. Aulbach II, PE
Director, Office of Drinking Water

Madison Building
109 Governor Street, 6th Floor
Richmond, VA 23219
Phone: 804-864-7500
Fax: 804-864-7521

Processing Office:

Southeast Virginia Field Office
830 Southampton Avenue, Room 2058
Norfolk, VA 23510
Phone: 757-683-2000

SUBJECT: SOUTHAMPTON COUNTY
WATERWORKS: Turner Tract Water System
PWSID: 3175720

WATERWORKS CONSTRUCTION PERMIT

Permit No: 302313 **Effective Date:** May 31, 2013 **Expiration Date:** May 31, 2018

Issued to:

Enviva Pellets Southampton LLC
26570 Rose Valley Road
Franklin, VA 23851

ATTN: Mr. Glenn Gray

Plans and specifications for the construction of modifications to the Turner Tract community waterworks in Southampton County, prepared by Mid-South Engineering Company, have been reviewed by this Office. The plans entitled "Southampton Project Site/Construction Plan Cover 26570 Rose Valley Rd. Franklin, VA. 23851" are stamped with our receipt date of May 21, 2013 and include the following sheet numbers: 5873-12000-GC1, 5873-12000-G01, 5873-15000-G01 through 5873-15000-G05, 5873-15010-G01 through G08, 5873-15030-G01 through 5873-15030-G03, 5873-15040-G01 through 5873-15040-G04, 5873-15050-G01 through 5873-15050-G04, 5873-15060-G01 through 5873-15060-G20, 5873-16000-G02 and 5873-16000-G13. The specifications entitled "Enviva Pellets Southampton Project Franklin, Virginia Specifications for Underground Utilities Project No. 5873" are dated March 25, 2013 with a revised date of May 8, 2013.

The project consists of the installation of approximately 2,450 feet of 4-inch diameter, 300 feet of 6-inch diameter and 13,000 feet of 10-inch diameter waterline to provide fire and domestic water service.

The plans and specifications are technically adequate and are approved by this Office, in accordance with §12 VAC 5-590 of the Commonwealth of Virginia *Waterworks Regulations*. A copy of these documents is on file in the Southeast Virginia Field Office.

This approval does not suspend, minimize, or otherwise alter the waterworks obligation to comply with federal, state, or local laws and regulations or permits.

Mr. Glenn Gray
Waterworks Construction Permit No. 302313
May 31, 2013
Page 2


This Waterworks Construction Permit is issued in accordance with Title 32.1 of the Code of Virginia, and 12VAC5-590 et seq. of the *Waterworks Regulations*. This is your authorization from the State Health Commissioner to construct the subject waterworks in accordance with the approved documents. Any deviations from the approved documents affecting capacity, hydraulic conditions, operating units, the functioning of the treatment processes, or the water quality delivered, must be approved by this Office before any such changes are made. Revised plans and specifications shall be submitted to the Southeast Virginia Field Office in time to permit review and approval before construction.

Upon completion of construction, the owner shall submit a statement signed by a professional engineer licensed in Virginia certifying that the work was completed in accordance with the approved documents.

Upon receipt of this statement and satisfactory results of bacteriological analysis, the project may put into service.

If we can be of additional assistance, please contact Renée S. Hall, District Engineer, in our Southeast Virginia Field Office at 757-683-2000, ext 113.

Sincerely,



John J. Aulbach II, PE
Director, Office of Drinking Water

RSH/JJA/bjm

cc: Mr. Michael Johnson, County Administrator, Southampton County
Mr. Julien Johnson, Director, Southampton County Utilities
Mr. John Jenkins, Building Official, Southampton County
Nancy Welch, MD, Acting Director, Southampton County Health Department
Mr. Michael Burden, PE, Mid-South Engineering Company
ODW - Southeast Virginia Field Office
ODW - Central Office



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Street address: 629 East Main Street, Richmond, Virginia 23219

Mailing address: P.O. Box 1105, Richmond, Virginia 23218

Fax: 804-698-4019 - TDD (804) 698-4021

www.deq.virginia.gov

David K. Paylor
Director

(804) 698-4020
1-800-592-5482

Douglas W. Domenech
Secretary of Natural Resources

June 13, 2013

Mr. Michael W. Johnson
County Administrator
Southampton County
P.O. Box 400
Courtland, Virginia 23837

Dear Mr. Johnson:

The Department of Environmental Quality has received an application to withdraw groundwater in the Eastern Virginia Ground Water Management Area. 9 VAC 25-610-250 B of the Virginia Ground Water Withdrawal Regulation requires that the DEQ send a notice of each draft permit to each local governing body located within the groundwater management area where the proposed withdrawal will occur.

In accordance with this section, please find the enclosed notice that will be advertised in the Smithfield Times on Wednesday, June 19, 2013. Additional information on the permit application may be obtained by contacting me.

The Department will accept comments concerning the proposed issuance of this draft permit for thirty days. All comments must be received by 4 p.m. on July 19, 2013.

Sincerely,

Brenda L. Brown

Brenda L. Brown
Groundwater Permit Writer

Enclosure

Public Notice – Environmental Permit

PURPOSE OF NOTICE: To seek public comment on a draft permit from the Department of Environmental Quality for the withdrawal of groundwater in Isle of Wight County, Virginia.

PUBLIC COMMENT PERIOD: June 19, 2013 to July 19, 2013

PERMIT NAME: Groundwater Withdrawal Permit issued by DEQ, under the authority of the State Water Control Board

APPLICANT NAME, ADDRESS AND PERMIT NUMBER: Town of Smithfield, P.O. Box 246, Smithfield, Virginia 23431; GW0031801

NAME AND LOCATION OF WATER WITHDRAWAL: Town of Smithfield, northern portion of Isle of Wight County surrounding the intersection of State Route 10 with U.S. Route 258, Smithfield, Virginia

PROJECT DESCRIPTION: Town of Smithfield has applied for reissuance of a permit, with modification, for Smithfield Public Water System. The permit would allow the applicant to withdraw an average of 1,284,384 gallons per day. The groundwater withdrawal will be used to supply feed water to a reverse osmosis treatment facility that will provide the public water supply, with similar existing residential and commercial uses supported by the previous permit. The proposed withdrawal will utilize the Upper Potomac Aquifer and the Middle Potomac Aquifer at a depth between 384 feet to 475 feet below land surface and between 505 feet to 992 feet below the land surface, respectively, at the withdrawal site. An aquifer is a body of rock or layer of sediment in the ground in which groundwater is stored and transported. DEQ has made a tentative decision to issue the permit.

AFFECTED AREA: The radial distance from the wells to where computer modeling predicts the aquifer may experience one foot of drawdown due to the withdrawal is illustrated on maps that can be viewed at <http://www.deq.virginia.gov/Programs/Water/WaterSupplyWaterQuantity/GroundwaterPermitting/PublicNotices.aspx>.

HOW TO COMMENT AND OR REQUEST A PUBLIC HEARING: DEQ accepts comments and requests for public hearing by e-mail, fax or postal mail. All comments and requests must be in writing and be received by DEQ during the comment period. Submittals must include the names, mailing addresses and telephone numbers of the commenter/requester and of all persons represented by the commenter/requester. A request for public hearing must also include: 1) The reason why a public hearing is requested. 2) A brief, informal statement regarding the nature and extent of the interest of the requester or of those represented by the requestor, including how and to what extent such interest would be directly and adversely affected by the permit. 3) Specific references, where possible, to terms and conditions of the permit with suggested revisions. DEQ may hold a public hearing, including another comment period, if public response is significant and there are substantial, disputed issues relevant to the proposed permit. **CONTACT FOR PUBLIC COMMENTS, DOCUMENT REQUESTS AND ADDITIONAL INFORMATION:** Brenda Brown; Tidewater Regional Office, 5636 Southern Blvd., Virginia Beach, VA, 23462; Phone: (757) 518-2188; E-mail: brenda.brown@deq.virginia.gov; FAX: (757) 518-2009. The public may review the draft permit and application at the DEQ office named above by appointment.



COMMONWEALTH of VIRGINIA

Cynthia C. Romero, MD, FAAFP
State Health Commissioner

DEPARTMENT OF HEALTH
OFFICE OF DRINKING WATER
Southeast Virginia Field Office

John J. Aulbach II, PE
Director, Office of Drinking Water

830 Southampton Avenue
Suite 2058
Norfolk, VA 23510
Phone (757) 683-2000
Fax (757) 683-2007

Groundwater System Sanitary Survey Report **JUN 10 2013**

To: Dallas L. Phillips
Department of Corrections
1001 Obici Industrial Blvd., Suite F
Suffolk, VA 23434

SUBJECT: SOUTHAMPTON COUNTY
Waterworks: Southampton Correctional Center
PWSID No. 3175730

Survey Date: May 14, 2013
Present at Survey: Dallas L. Phillips and Steve Bolton (DOC)
Next Survey Scheduled For: April 2014

Future Sampling Requirements: See enclosure

As a result of the sanitary survey noted above, the Department offers the following comments. Should you have questions or desire to discuss our findings, or desire a copy of the inspector's field evaluation notes, please contact us at 757-683-2000, ext. 113.

General

This system consists of four active wells, one 130,000-gallon ground storage tank, one 250,000-gallon elevated storage tank and the distribution system.

This was the final construction inspection of the chlorination facilities installed and serving each individual well source. The facilities were constructed under Construction Permit No. 302012 with an effective date of June 22, 2012 and an expiration date of June 22, 2017. Each well source is equipped with a 12 gpd metering pump, 30 gallon solution tank and associated piping for sodium hypochlorite feed systems at each of the four wells. There are also safety goggles, apron and rubber gloves for each facility.

The chlorination facilities appeared to be constructed satisfactorily in accordance with the approved plans and specifications. Upon review of the satisfactory bacteriological samples collected throughout the distribution system, this office gave a verbal approval and allowed the facilities to be placed in service.

A routine sanitary survey of the waterworks was conducted on April 10, 2013. Historically the waterworks has been inspected every 24 months, however with the addition of chlorination facilities the waterworks will be inspected annually.

Administrative

Your present waterworks Operation Permit (No. 3175730) and the Engineering Description Sheet will be amended to include the chlorination facilities.

Sampling

The TSWMP will need to be updated to address chlorine monitoring requirements for the waterworks. Chlorine residuals should be monitored at the same points in the distribution system and at the same time that the bacteriological samples are collected. A revised plan has been submitted and is under review for approval. All

Mr. Dallas L. Phillips

Page 2

JUN 19 2013

SUBJECT: SOUTHAMPTON COUNTY
Water - Southampton Correctional Center
PWSID No. 3175730

disinfection residuals will be measured with testing equipment using approved methods. The disinfection residuals will be reported to the Southeast Virginia Field Office by the 10th of the month following the month during which samples were taken. The disinfection residual results must be reported by the laboratory along with the bacteriological results.

For quality control, the free chlorine residual will be monitored in the distribution system at a frequency of at least five (5) days per week. The chlorine residual results must be reported in the Monthly Operation Report. A form to report the residual results was submitted with the sanitary survey report.


In addition, per section 12VAC5-590-425 of the *Waterworks Regulations*, the owner of any groundwater source utilizing chlorine disinfection or any other treatment or chemical addition that may alter or affect the bacteriological quality of the raw water shall collect source samples for bacteriological analysis. All bacteriological samples shall be collected from the raw water prior to any treatment or chemical addition. The waterworks will need to collect annual raw water samples from each well. You will receive sample containers for this monitoring from the State lab.

The United States Environmental Protection Agency (EPA) published a new rule entitled "Stage 2 Disinfectants and Disinfection Byproducts Rule" (Stage 2) on January 4, 2006. Stage 2 builds on existing regulations by requiring waterworks to meet disinfection byproduct Maximum Contaminant Levels (MCLs) at each disinfection byproduct monitoring site in the distribution system to better protect public health. All community waterworks and nontransient noncommunity (NTNC) waterworks that use or deliver water treated with a primary or residual disinfectant other than ultraviolet light are subject to Stage 2 requirements. Since the waterworks will incorporate disinfection facilities, a Stage 2 D/DBP Plan will be required. A plan has been submitted and is under review for approval by this office.

Two copies of the statement of completion signed by the licensed professional engineer stating that the chlorination facilities were constructed in accordance with the approved plans and specifications were received by this office.

Please visit our web site at www.vdh.virginia.gov/drinkingwater. There you will find helpful information on water sampling and testing, operator licensing and training, consumer education, project funding and many other topics, as well as, links to other key websites and Virginia's *Waterworks Regulations*.

Survey By:



Renée Hall
District Engineer

RSH/bjm

pc: Mr. Timothy Newton, Virginia Department of Corrections
Ms. Debra Blackwell, Project Manager, Virginia Department of Corrections
Mr. Michael Johnson, County Administrator, Southampton County
Mr. John Jenkins, Building Official, Southampton County
Nancy Welch, MD, Acting Director, Southampton County Health Department
Mr. Jeff Coyne, EIT, Timmons Group
V.D.H. - Southeast Virginia Field Office
V.D.H. - Office of Drinking Water



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Street address: 629 East Main Street, Richmond, Virginia 23219

Mailing address: P.O. Box 1105, Richmond, Virginia 23218

Fax: 804-698-4019 - TDD (804) 698-4021

www.deq.virginia.gov

Douglas W. Domenech
Secretary of Natural Resources

David K. Paylor
Director

(804) 698-4020
1-800-592-5482

May 30, 2013

Mr. Michael W. Johnson
County Administrator
Southampton County
P.O. Box 400
Courtland, Virginia 23837

Dear Mr. Johnson:

The Department of Environmental Quality has received an application to withdraw groundwater in the Eastern Virginia Ground Water Management Area. 9 VAC 25-610-250 B of the Virginia Ground Water Withdrawal Regulation requires that the DEQ send a notice of each draft permit to each local governing body located within the groundwater management area where the proposed withdrawal will occur.

In accordance with this section, please find the enclosed notice that will be advertised in the Smithfield Times on Wednesday, June 5, 2013. Additional information on the permit application may be obtained by contacting me.

The Department will accept comments concerning the proposed issuance of this draft permit for thirty days. All comments must be received by 4 p.m. on July 5, 2013.

Sincerely,

Brenda L. Brown

Brenda L. Brown
Groundwater Permit Writer

Enclosure

Public Notice – Environmental Permit

PURPOSE OF NOTICE: To seek public comment on a draft permit from the Department of Environmental Quality for the withdrawal of groundwater in Isle of Wight County, Virginia.

PUBLIC COMMENT PERIOD: June 5, 2013 to July 5, 2013

PERMIT NAME: Groundwater Withdrawal Permit issued by DEQ, under the authority of the State Water Control Board

APPLICANT NAME, ADDRESS AND PERMIT NUMBER: The Smithfield Packing Company, Inc., 601 North Church Street, Smithfield, Virginia 23430; GW0042201

NAME AND LOCATION OF WATER WITHDRAWAL: The Smithfield Packing Company, Inc., 601 North Church Street, Smithfield, Virginia

PROJECT DESCRIPTION: The Smithfield Packing Company, Inc. has applied for reissuance of a permit, with modification, for The Smithfield Packing Company, Inc. The permit would allow the applicant to withdraw an average of 2,604,110 gallons per day. The groundwater withdrawal will be used to provide water for the operation and maintenance of the meat processing and packaging plant. The proposed withdrawal will utilize the Upper Potomac Aquifer and the Middle Potomac Aquifer at a depth between 320 feet to 520 feet below land surface and between 560 feet to 900 feet below the land surface, respectively, at the withdrawal site. An aquifer is a body of rock or layer of sediment in the ground in which groundwater is stored and transported. DEQ has made a tentative decision to issue the permit.

AFFECTED AREA: The radial distance from the wells to where computer modeling predicts the aquifer may experience one foot of drawdown due to the withdrawal is illustrated on maps that can be viewed at <http://www.deq.virginia.gov/Programs/Water/WaterSupplyWaterQuantity/GroundwaterPermitting/PublicNotices.aspx>.

HOW TO COMMENT AND OR REQUEST A PUBLIC HEARING: DEQ accepts comments and requests for public hearing by e-mail, fax or postal mail. All comments and requests must be in writing and be received by DEQ during the comment period. Submittals must include the names, mailing addresses and telephone numbers of the commenter/requester and of all persons represented by the commenter/requester. A request for public hearing must also include: 1) The reason why a public hearing is requested. 2) A brief, informal statement regarding the nature and extent of the interest of the requester or of those represented by the requestor, including how and to what extent such interest would be directly and adversely affected by the permit. 3) Specific references, where possible, to terms and conditions of the permit with suggested revisions. DEQ may hold a public hearing, including another comment period, if public response is significant and there are substantial, disputed issues relevant to the proposed permit. **CONTACT FOR PUBLIC COMMENTS, DOCUMENT REQUESTS AND ADDITIONAL INFORMATION:** Brenda Brown; Tidewater Regional Office, 5636 Southern Blvd., Virginia Beach, VA, 23462; Phone: (757) 518-2188; E-mail: brenda.brown@deq.virginia.gov; FAX: (757) 518-2009. The public may review the draft permit and application at the DEQ office named above by appointment.



RECEIVED MAY 29 2013

COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Street address: 629 East Main Street, Richmond, Virginia 23219

Mailing address: P.O. Box 1105, Richmond, Virginia 23218

Fax (804) 698-4500 TDD (804) 698-4021

www.deq.virginia.gov

Doug Domenech
Secretary of Natural Resources

David K. Paylor
Director

(804) 698-4000
1-800-592-5482

May 28, 2013

Mr. Michael W. Johnson
County Administrator
Southampton County
P.O. Box 400
Courtland, Virginia 23837

Dear Mr. Johnson:

The Department of Environmental Quality has received an application to withdraw ground water in the Eastern Virginia Ground Water Management Area. Part V of the Virginia Ground Water Withdrawal Regulation requires that the Department of Environmental Quality send a notice of each draft permit to each local governing body located within the ground water management area where the proposed withdrawal will occur.

In accordance with this section, please find the enclosed notice that will be advertised in the Prince George Journal on Thursday, May 30, 2013. Additional information on the permit application may be obtained by contacting me.

The Department will accept comments concerning the proposed issuance of this draft permit for thirty days. All comments must be received by 4 p.m. on July 1, 2013.

Sincerely,

A handwritten signature in black ink, appearing to read "C. Erinn Tisdale".

C. Erinn Tisdale
Groundwater Permit Writer

Enclosure

Public Notice – Environmental Permit

PURPOSE OF NOTICE: To seek public comment on a draft permit from the Department of Environmental Quality for the withdrawal of groundwater in Prince George County, Virginia.

PUBLIC COMMENT PERIOD: May 30, 2013 to July 1, 2013

PERMIT NAME: Groundwater Withdrawal Permit issued by DEQ, under the authority of the State Water Control Board

APPLICANT NAME, ADDRESS AND PERMIT NUMBER: County of Prince George., P.O. Box 68, Prince George, VA 23875, GW0009000

NAME AND LOCATION OF WATER WITHDRAWAL: Beechwood Manor and Jordan on the James Water System; Beaver Castle Rd and Jordan Parkway, Prince George, VA 23875

PROJECT DESCRIPTION: Prince George County has applied for issuance of a combined permit for the Beechwood Manor and the Jordan on the James Water Systems in Prince George County, Virginia. These systems previously held separate withdrawal permits. The permit would allow the applicant to withdraw an average of 136,904 gallons per day. The ground water withdrawal will support the residential connections within the Beechwood Manor and the Jordan on the James service areas and the pending Chappell Creek and Eagle Preserve developments. The proposed withdrawal will utilize the Middle Potomac aquifer at a depth between 87 feet to 387 feet below the land surface at the withdrawal site. An aquifer is a body of rock or layer of sediment in the ground in which ground water is stored and transported. DEQ has made a tentative decision to issue the permit.

AFFECTED AREA: The radial distance from the wells to where computer modeling predicts the aquifer(s) may experience one foot of drawdown due to the withdrawal is illustrated on a map (or maps) that can be viewed at

<http://www.deq.virginia.gov/Programs/Water/WaterSupplyWaterQuantity/GroundwaterPermitting/PublicNotices.aspx>.

HOW TO COMMENT AND OR REQUEST A PUBLIC HEARING: DEQ accepts comments and requests for public hearing by e-mail, fax or postal mail. All comments and requests must be in writing and be received by DEQ during the comment period. Submittals must include the names, mailing addresses and telephone numbers of the commenter/requester and of all persons represented by the commenter/requester. A request for public hearing must also include: 1) The reason why a public hearing is requested. 2) A brief, informal statement regarding the nature and extent of the interest of the requester or of those represented by the requestor, including how and to what extent such interest would be directly and adversely affected by the permit. 3) Specific references, where possible, to terms and conditions of the permit with suggested revisions. DEQ may hold a public hearing, including another comment period, if public response is significant and there are substantial, disputed issues relevant to the proposed permit. **CONTACT FOR PUBLIC COMMENTS, DOCUMENT REQUESTS AND ADDITIONAL INFORMATION:** NAME: C. Erinn Tisdale of the Richmond Office, P.O. Box 1105, Richmond, VA 23218;

Phone: 804-698-4066; E-mail: C.Erinn.Tisdale@deq.virginia.gov; FAX: 804-698-4032 The public may review the draft permit and application at the DEQ office named above by appointment.

TOWN OF NEWSOMS

29056 Everett Street—P. O. Box 55—Newsoms, VA 23874

Telephone (757) 654-6731

Harvey J. Porter, Jr. – Mayor
Judith Rose – Council
Joseph Steward – Council
Shawn Geary – Council

Kenneth W. Cooke – Vice Mayor
Donald Bowling – Council
Clayton Gaskins – Council
Ruth Dunn – Clerk

RECEIVED JUN 17 2013

June 13, 2013

Ms. Denise H. Ambrose, Associate Director-DCHD
Main Street Centre
600 East Main Street, Suite 300
Richmond, VA 23219

Re: 2013 CDBG Planning Grant
Initial Management Team Meeting

Dear Ms. Ambrose:

The management team for the above mentioned CDBG planning grant has been established and will have their initial meeting on June 27, 2013 at 7:00 PM. The meeting will be held at the Newsoms Town Hall which is located at 29056 Everett Street in the Town of Newsoms. A representative from your office would be welcome to attend this meeting.

Sincerely,

Harvey J. Porter, Jr.
Mayor, Town of Newsoms

cc: Michael W. Johnson, Southampton County Administrator ✓
Chris Thompson, DCHD
Matt Weaver, DCHD
Randy Keaton, Hampton Roads PDC
Whitney Katchmark, Hampton Roads PDC
Vanless Worrell
Ida Spruell

VIRGINIA: IN THE CIRCUIT COURT OF THE COUNTY OF SOUTHAMPTON

IN THE MATTER OF THE APPOINTMENT OF
ELMA A. BROWN, PETER F. COPELAND, AND
BRIAN DARDEN AS MEMBERS OF THE BOARD
OF ZONING APPEALS FOR THE
COUNTY OF SOUTHAMPTON, VIRGINIA

This day came the Board of Supervisors of the County of Southampton, Virginia by letter from Michael W. Johnson, County Administrator for the County of Southampton recommending the appointment of Elma A. Brown, Peter F. Copeland, and Brian Darden as members of the Board of Zoning Appeals for the County of Southampton, Virginia term beginning October 1, 2013, and expiring on the 30th day of September 2017.

On consideration whereof it is ADJUDGED, ORDERED, and DECREED that Elma A. Brown, Peter F. Copeland, and Brian Darden be and they are hereby appointed as members of the Board of Zoning Appeals for the County of Southampton, Virginia, term beginning on the 1st day of October, 2013, and expiring on the 30th day of September, 2017.


Enter this the 13th day of June, 2013



Judge

I certify that the document to which this authentication is affixed is a true copy of a record in the Southampton Circuit Court, I have custody of the document and am the custodian of that record.

Richard L. Francis, Clerk



Southampton Circuit Court DC

TOWN OF NEWSOMS

29056 Everett Street—P. O. Box 55—Newsoms, VA 23874

Telephone (757) 654-6731

Harvey J. Porter, Jr. – Mayor

Judith Rose – Council

Joseph Steward – Council

Shawn Geary – Council

Kenneth W. Cooke – Vice Mayor

Donald Bowling – Council

Clayton Gaskins – Council

Ruth Dunn – Clerk

June 3, 2013

Ms. Denise H. Ambrose, Associate Director-DCHD
Main Street Centre
600 East Main Street, Suite, 300
Richmond, Virginia 23219

Re: 2013 CDBG Planning Grant
Response to Initial Request

Dear Ms. Ambrose:

As you are aware, your letter dated March 28, 2013, was not received by the Town of Newsoms until May 6, 2013.

We forwarded a copy of your letter to Southampton County Administrator, Michael W. Johnson, on May 7th requesting Southampton County to serve as primary applicant for the Planning Grant.

Mr. Johnson had to wait for the Southampton Board of Supervisors to meet on May 28th and get their approval for the county to serve as primary applicant. At this meeting, the supervisors gave their approval and Mr. Johnson notified the town on May 29th of their approval. During this conversation with Mr. Johnson, he also noted that he only has one other employee in his office and until July 1st 2013, their ability to help will be very limited.

The purpose of this letter, based on the above adverse conditions, is to request an extension of time to complete the items outlined in your letter dated March 28, 2013.

We have the Initial Public Meeting scheduled for Tuesday June 11th at 7:00 PM. The meeting will be held at the Newsoms Town Hall located at 29056 Everett Street in the Town of Newsoms.

Sincerely,

Harvey J. Porter, Jr.
Mayor, Town of Newsoms

cc: Michael W. Johnson, Southampton County Administrator
Dwight L. Farmer, Executive Director, Hampton Roads PDC
Chris Thompson, DCHD
Matt Weaver, DCHD
Larry Wallace, SERCAP

RECEIVED JUN - 4 2013



All About Jesus Holy Church of Deliverance

7246 Proctors Bridge Road • P.O. Box 457

Iron, Virginia 23866

Email: LiftingupJesusworldwide@aol.com

(757) 859-9444

Evangelist Mable W. Fenner, Pastor / Founder

June 3, 2013

Southampton County Board of Supervisors
P.O. Box 400
Courtland, Virginia 23837

Dear Southampton County Board of Supervisors:

Grace and peace be unto in the name of our Lord and Savior Jesus Christ.

The All About Jesus Holy Church of Deliverance and I would like to sincerely thank you for the use of the property on Proctors Bridge Road for our Annual Crusade for Souls for Christ. The use of the property really helped us to be a blessing to the community. We especially thank Vice-Chairman Ronald West for his support and help. We pray the blessing of Lord upon each and every one of you.

Sincerely in Christ,

Pastor Mable W. Fenner

Evangelist Mable W. Fenner, Pastor

Jesus said, "And I, if I be lifted up from the earth, will draw all men unto Me. - John 12:32"

SOUTHAMPTON COUNTY

26022 Administration Center Drive
P. O. Box 400
Courtland, Virginia 23837



757-653-3015
Fax: 757-653-0227

June 6, 2013

Mrs. Susan Gillette
17375 Old Belfield Road
Capron, VA 23829

Dear Mrs. Gillette:

I am pleased to inform you of your recent appointment to the Blackwater Regional Library Board of Trustees, unanimously approved by the Board of Supervisors in their regular session of May 28, 2013.

Your term is effective July 1, 2013 and will end June 30, 2017.

I am delighted that you have agreed to serve on this board and confident that your experience and input will be of great benefit to patrons of library services. Southampton County has long been blessed with volunteers like you who devote a portion of their personal time for the benefit of all county citizens.

By copy of this letter, I am notifying Mrs. Yvonne Hilliard-Bradley, Director of the regional library, of your appointment. Either she, or her representative, will be contacting you in the near future to provide more information about service on the library board of trustees. In the meantime, you may wish to familiarize yourself with library services by visiting www.blackwaterlib.org on the worldwide web.

On behalf of the board of supervisors, please accept my gratitude for your willingness to serve.

With kind regards, I remain

Sincerely,

A handwritten signature in blue ink, appearing to read "Michael W. Johnson", is written over a light blue horizontal line.

Michael W. Johnson
County Administrator

cc: Ms. Yvonne Hilliard-Bradley