

**15. MISCELLANEOUS****A. CORRESPONDENCE**

Attached for your reference, please find a copy of the official notice provided to VDGIF relative to the recently adopted change to Sec. 10-26 of the Southampton County Code.

**B. NOTICES**

Attached for your reference please find copies of various notices.

# SOUTHAMPTON COUNTY

26022 Administration Center Drive  
P. O. Box 400  
Courtland, Virginia 23837



757-653-3015  
Fax: 757-653-0227

April 12, 2013

REGISTERED MAIL - RETURN RECEIPT REQUESTED

Mr. Robert W. Duncan, Director  
Virginia Department of Game and Inland Fisheries  
Post Office Box 11104  
Richmond, VA 23230-1104

RE: Firearms ordinance revision


Dear Mr. Duncan:

Pursuant to § 29.1-528 (B), *Code of Virginia*, 1950, as amended, please be advised that the attached ordinance was duly adopted by the Board of Supervisors of Southampton County, Virginia in regular session on March 25, 2013.

Thank you in advance for seeing to it that this change is accurately reflected in your agency's digest of hunting regulations for the hunting year beginning on July 1, 2013.

With kind regards, I remain

Sincerely,



Michael W. Johnson  
County Administrator

enclosure

cc: Richard E. Railey, Jr., County Attorney

AN ORDINANCE TO AMEND CHAPTER 10 OF THE SOUTHAMPTON COUNTY CODE  
BY REVISING SECTION 10-26 TO PROVIDE FOR THE HUNTING OF  
COYOTES WITH RIFLES LARGER THAN .22 CALIBER RIM FIRE  
BETWEEN MARCH 1 AND AUGUST 31

-----

BE IT ORDAINED by the Board of Supervisors of Southampton County, Virginia that the Southampton County Code be, and hereby is, amended by revising paragraph (a) of Section 10-26 to provide for the hunting of coyotes with rifles larger than .22 caliber rim fire between March 1 and August 31:

1 **Sec. 10-26. Hunting weapons restricted.**

2  
3 (a) It shall be unlawful to hunt with a rifle larger than twenty-two one hundredths of an inch  
4 (.22) caliber rim fire except rifles of a larger caliber may be used for hunting groundhogs *and*  
5 *coyotes* between March 1 and August 31;

6  
7 (b) It shall be unlawful to hunt with a muzzle-loading rifle at anytime;

8  
9 (c) It shall be unlawful to hunt with a muzzle-loading shotgun loaded with slugs or sabot  
10 slugs; and

11  
12 (d) Any person violating the provisions of this section, upon conviction, shall be guilty of a  
13 Class 3 Misdemeanor and shall be punished accordingly.

A copy teste:  Clerk  
Southampton County Board of Supervisors  
Adopted : March 25, 2013

CA

RECEIVED APR 15 2013



# COMMONWEALTH of VIRGINIA

DEPARTMENT OF HEALTH

## OFFICE OF DRINKING WATER

Southeast Virginia Field Office

Cynthia C. Romero, MD, FAAFP  
State Health Commissioner

John J. Aulbach II, PE  
Director, Office of Drinking Water

830 Southampton Avenue  
Suite 2058  
Norfolk, VA 23510  
Phone (757) 683-2000  
Fax (757) 683-2007

### NOTICE OF VIOLATION

APR 09 2013

SUBJECT: SOUTHAMPTON COUNTY  
Water - Fieldcrest MHC  
(Hampton Parkway LLC)  
PWSID No. 3175800

Mr. Harvey Senger, Manager  
Hampton Parkway, LLC  
76 Stonewall Road  
Weyers Cave, VA 23386

Dear Mr. Senger:

RE: Operating a Waterworks Without a Written Operation Permit  
Failure to Submit a Waterworks Business Operation Plan

Dear Mr. Senger:

This notice is to advise that you may be in violation of §32.1-172 of the Code of Virginia and the *Waterworks Regulations* for operating a waterworks without an Operation Permit and for failing to submit a Waterworks Business Operation Plan.

Section 32.1-172 A of the Code of Virginia states "No owner shall establish, construct or operate any waterworks or water supply in the Commonwealth without a written permit from the Commissioner, except for the extension of water distribution piping having a diameter of 8 inches or less and service less than fifteen equivalent residential connections." It is our understanding that there are approximately 42 connections to this system. According to our records, you have been operating without a valid permit since August 5, 2010.

Section 32.1-172 B of the Code of Virginia states that "The application also shall include a comprehensive business plan detailing the technical, managerial, and financial commitments to be made by the owner in order to assure that system performance requirements for providing the water supply will be met over the long term." Our records indicate that such a plan has not been submitted and approved by this office to date.

APR 09 2013

SUBJECT: SOUTHAMPTON COUNTY:  
Water - Fieldcrest MHC  
(Hampton Parkway LLC)  
PWSID No. 3175800

This office requested the submission of the Waterworks Business Operation Plan (WBOP) by September 30, 2011 in our Notice of Violation dated August 26, 2011. A WBOP must be submitted and approved by this office before the permit can be issued.

**Required Actions**

Submit a Waterworks Business Operation Plan (WBOP) as part of the process to obtain a waterworks operation permit to this office for review and approval by May 6, 2013. Documents for the plan can be found on our website at:


<http://www.vdh.virginia.gov/odw/permitandapplications.htm>.

**Follow-Up Actions:**

Due to the prevalence of severe storms in the area, it is required that all community waterworks prepare an Emergency Management Plan (EMP) for extended power outages. The EMP also needs to be submitted by May 6, 2013. This office can assist you with the preparation of such a plan.

If you have questions, please call me at ext. 113.

Sincerely,



Renée S. Hall  
District Engineer

RSH/bjm

pc: Mr. Michael Johnson, County Administrator, Southampton County  
Nancy Welch, MD, Acting Director, Southampton County Health Department  
V.D.H. – Robert A. K. Payne, Legal Affairs Manager  
V.D.H. – Office of Drinking Water



## COMMONWEALTH of VIRGINIA

Department of Health

Cynthia C. Romero, MD, FAAFP  
State Health CommissionerP O BOX 2448  
RICHMOND, VA 23218TTY 7-1-1 OR  
1-800-828-1120**Processing Office:**Southeast Virginia Field Office  
830 Southampton Avenue, room 2058  
Norfolk, VA 23510  
Phone: 757-683-2000SUBJECT: Southampton County  
WATERWORKS: White Tail Resort  
PWSID: 3175860**WATERWORKS CONSTRUCTION PERMIT****Permit No.:** 300613      **Effective Date:** March 21, 2013      **Expiration Date:** March 21, 2018**Issued to:**White Tail Park, Inc.  
P.O. Box 160  
Zuni, VA 23898

ATTN: Mr. Robert Roche

Plans and specifications for the construction of modifications to the White Tail Resort community waterworks located in Southampton County, prepared by Engineering Design and Development, Inc., have been reviewed by this Office. The plans and specifications are packaged in a booklet entitled "Water Supply System Modification Plan, and Design Report White Tail Resort Campground Expansion, Southampton County, Virginia" that is dated November 2012 and includes 1 plan sheet dated October 12, 2012 with a final revision date of January 24, 2013.

The project consists of the installation of approximately 2,020 feet of 2-inch and 85 feet of 1.5-inch diameter waterlines and related piping installations, to serve the new camping area of White Tail Resort.

The plans and specifications are technically adequate and are approved by this Office, in accordance with 12VAC5-590 of the Commonwealth of Virginia *Waterworks Regulations*. A copy of these documents is on file in the Southeast Virginia Field Office.

This approval does not suspend, minimize or otherwise alter the waterworks obligation to comply with federal, state, or local laws and regulations or permits.

This Waterworks Construction Permit is issued in accordance with Title 32.1 of the Code of Virginia, and 12VAC5-590 et seq. of the *Waterworks Regulations*. This is your authorization from the State Health Commissioner to construct modifications to the subject waterworks in accordance with the approved

Mr. Robert Roche  
Waterworks Construction Permit No. 300613  
March 21, 2013  
Page 2


documents. Any deviations from the approved documents affecting capacity, hydraulic conditions, operating units, the functioning of the treatment processes, or the water quality delivered, must be approved by this Office before any such changes are made. Revised plans and specifications shall be submitted to the Southeast Virginia Field Office, in time to permit review and approval before construction.

Upon completion of construction, the owner shall submit a statement signed by a professional engineer licensed in Virginia certifying that the work was completed in accordance with the approved documents.

Upon receipt of this statement and satisfactory results of the bacteriological analysis, the project may be put into service.

If we can be of additional assistance, please contact Ms. Renée S. Hall, District Engineer in our Office of Drinking Water, Southeast Virginia Field Office at (757) 683-2000, ext. 113.

Sincerely,



Cynthia C. Romero, MD, FAAFP  
State Health Commissioner

RSH/JJA/bjm

Enclosure

- cc: Mr. John D. Ritter, P.E., Engineering Design & Development, Inc.  
Dr. Nancy Welch, Acting Director, Southampton County Health Department
- Mr. Michael Johnson, County Administrator, Southampton County
  - Mr. John Jenkins, Building Official, Southampton County
  - ODW - Southeast Virginia Field Office
  - ODW - Central Office



RECEIVED APR - 1 2013

# COMMONWEALTH of VIRGINIA

## DEPARTMENT OF ENVIRONMENTAL QUALITY

Street address: 629 East Main Street, Richmond, Virginia 23219

Mailing address: P.O. Box 1105, Richmond, Virginia 23218

Fax (804) 698-4500 TDD (804) 698-4021

[www.deq.virginia.gov](http://www.deq.virginia.gov)

Doug Domenech  
Secretary of Natural  
Resources

David K. Paylor  
Director

(804) 698-4000  
1-800-592-5482

March 29, 2013

Mr. Michael W. Johnson  
County Administrator  
Southampton County  
P.O. Box 400  
Courtland, Virginia 23837

Dear Mr. Johnson:

The Department of Environmental Quality has received an application to withdraw ground water in the Eastern Virginia Ground Water Management Area. Part V of the Virginia Ground Water Withdrawal Regulation requires that the Department of Environmental Quality send a notice of each draft permit to each local governing body located within the ground water management area where the proposed withdrawal will occur.

In accordance with this section, please find the enclosed notice that will be advertised in the Tidewater Review on Wednesday April 3, 2013. Additional information on the permit application may be obtained by contacting me.

The Department will accept comments concerning the proposed issuance of this draft permit for thirty days. All comments must be received by 4 p.m. on May 3, 2013.

Sincerely,

A handwritten signature in cursive script, appearing to read "C. Erinn Tisdale".

C. Erinn Tisdale  
Groundwater Withdrawal Program

Enclosure

## Public Notice – Environmental Permit

**PURPOSE OF NOTICE:** To seek public comment on a draft permit from the Department of Environmental Quality for the withdrawal of ground water in New Kent County, Virginia.

**PUBLIC COMMENT PERIOD:** April 3, 2013 to May 3, 2013

**PERMIT NAME:** Ground Water Withdrawal Permit issued by DEQ, under the authority of the State Water Control Board

**APPLICANT NAME, ADDRESS AND PERMIT NUMBER:** Woodhaven Water Company, Inc., 7242-A Lakeshore Drive, Quinton, VA 23141

**NAME AND LOCATION OF WATER WITHDRAWAL:** Woodhaven Shores; 7242-A Lakeshore Drive, Quinton, VA 23141

**PROJECT DESCRIPTION:** Woodhaven Water Company, Inc. has applied for a reissuance of a permit for the Woodhaven Shores Water System in New Kent County, Virginia. The permit would allow the applicant to withdraw an average of 93,960 gallons per day. The ground water withdrawal will support the residential connections within the Woodhaven Shores service area. The proposed withdrawal will utilize the Middle Potomac aquifer at a depth between 270 feet to 382 feet below the land surface at the withdrawal site. An aquifer is a body of rock or layer of sediment in the ground in which ground water is stored and transported. DEQ has made a tentative decision to issue the permit.

**AFFECTED AREA:** The radial distance from the well(s) to where computer modeling predicts the aquifer may experience one foot of drawdown due to the withdrawal does not extend beyond the applicant's service area property.

**HOW TO COMMENT AND OR REQUEST A PUBLIC HEARING:** DEQ accepts comments and requests for public hearing by e-mail, fax or postal mail. All comments and requests must be in writing and be received by DEQ during the comment period. Submittals must include the names, mailing addresses and telephone numbers of the commenter/requester and of all persons represented by the commenter/requester. A request for public hearing must also include: 1) The reason why a public hearing is requested. 2) A brief, informal statement regarding the nature and extent of the interest of the requester or of those represented by the requestor, including how and to what extent such interest would be directly and adversely affected by the permit. 3) Specific references, where possible, to terms and conditions of the permit with suggested revisions. DEQ may hold a public hearing, including another comment period, if public response is significant and there are substantial, disputed issues relevant to the proposed permit. **CONTACT FOR PUBLIC COMMENTS, DOCUMENT REQUESTS AND ADDITIONAL INFORMATION:** NAME: C. Erinn Tisdale of the Richmond Office, P.O. Box 1105, Richmond, VA 23218; Phone: 804-698-4066; E-mail: C.Erinn.Tisdale@deq.virginia.gov; FAX: 804-698-4032 The public may review the draft permit and application at the DEQ office named above by appointment.