

NOTICES



RECEIVED JUL 16 2010

COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

TIDEWATER REGIONAL OFFICE

5636 Southern Boulevard, Virginia Beach, Virginia 23462

(757) 518-2000 Fax (757) 518-2009

www.deq.virginia.gov

Doug Domenech
Secretary of Natural Resources

David K. Paylor
Director

Francis L. Daniel
Regional Director

July 13, 2010

Mr. Michael W. Johnson
County Administrator
Southampton County
P.O. Box 400
Courtland, Virginia 23837

Dear Mr. Johnson:

The Department of Environmental Quality has received an application to withdraw ground water in the Eastern Virginia Ground Water Management Area. 9 VAC 25-610-250 B. of the Ground Water Withdrawal Regulation requires that the DEQ send a notice of each draft permit to each local governing body within the ground water management area where the proposed withdrawal will occur.

In accordance with this section, please find the enclosed notice which will be advertised in the Daily Press on July 18, 2010. Additional information on the permit application can be obtained by contacting me.

The Department will accept comments concerning the proposed issuance of this draft permit for thirty days. All comments must be received by 4:00pm on August 17, 2010.

Sincerely,

A handwritten signature in cursive script that reads "Rachel Patton".

Rachel Patton
Ground Water Permit Writer

Enclosure

RECEIVED JUL 16 2010

Public Notice – Environmental Permit

PURPOSE OF NOTICE: To seek public comment on a draft permit from the Department of Environmental Quality for the withdrawal of ground water in James City County, Virginia.

PUBLIC COMMENT PERIOD: July 18, 2010 to August 17, 2010

PERMIT NAME: Ground Water Withdrawal Permit issued by DEQ, under the authority of the State Water Control Board

APPLICANT NAME, ADDRESS AND PERMIT NUMBER: James City Service Authority, 101E Mounts Bay Rd, Williamsburg, GW0055000.

NAME AND LOCATION OF WATER WITHDRAWAL: The Retreat, 9061 Barnes Rd, Toano.

PROJECT DESCRIPTION: James City Service Authority has applied for reissuance of a permit for The Retreat in Toano, Virginia. The permit would allow the applicant to withdraw an average of 22,724 gallons per day. The ground water withdrawal will support a potable water supply for a residential development in James City County. The proposed withdrawal will utilize the Chickahominy–Piney Point aquifer at a depth between 164 feet to 220 feet below the land surface at the withdrawal site. An aquifer is a body of rock or layer of sediment in the ground in which ground water is stored and transported. DEQ has made a tentative decision to issue the permit.

HOW TO COMMENT AND OR REQUEST A PUBLIC HEARING: DEQ accepts comments and requests for public hearing by e-mail, fax or postal mail. All comments and requests must be in writing and be received by DEQ during the comment period. Submittals must include the names, mailing addresses and telephone numbers of the commenter/requester and of all persons represented by the commenter/requester. A request for public hearing must also include: 1) The reason why a public hearing is requested. 2) A brief, informal statement regarding the nature and extent of the interest of the requester or of those represented by the requestor, including how and to what extent such interest would be directly and adversely affected by the permit. 3) Specific references, where possible, to terms and conditions of the permit with suggested revisions. DEQ may hold a public hearing, including another comment period, if public response is significant and there are substantial, disputed issues relevant to the proposed permit. **CONTACT FOR PUBLIC COMMENTS, DOCUMENT REQUESTS AND ADDITIONAL INFORMATION:** Rachel Patton; Tidewater Regional Office, 5636 Southern Blvd., Virginia Beach, VA, 23462; Phone: (757) 518-2145; E-mail: rachel.patton@deq.virginia.gov; FAX: (757) 518-2009. The public may review the draft permit and application at the DEQ office named above by appointment.



RECEIVED JUL - 8 2010

COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

PIEDMONT REGIONAL OFFICE

4949-A Cox Road, Glen Allen, Virginia 23060

(804) 527-5020 Fax (804) 527-5106

www.deq.virginia.gov

Douglas W. Domenech
Secretary of Natural Resources

David K. Paylor
Director

Michael P. Murphy
Regional Director

July 7, 2010

Mr. Michael W. Johnson
County Administrator
Southampton County
P.O. Box 400
Courtland, Virginia 23837

Dear Mr. Johnson:

The Department of Environmental Quality has received an application to withdraw ground water in the Eastern Virginia Ground Water Management Area. Section VAC 25-610-250 B of the Ground Water Withdrawal Regulation requires that the Department of Environmental Quality send a notice of each draft permit to each local governing body located within the ground water management area where the proposed withdrawal will occur.

In accordance with this section, please find the enclosed notice that will be advertised in the Richmond Time Dispatch on Thursday, July 9, 2010. Additional information on the permit application can be obtained by contacting the DEQ staff person listed on the attached notice.

The Department will accept comments concerning the proposed issuance of this draft permit for thirty days. All comments must be received by **5:00 p.m. on August 9, 2010**.

Sincerely,


B. N. Sinha, Ph.D.
Ground Water Permitting Program

/bns

Enclosure

Public Notice – Environmental Permit

PURPOSE OF NOTICE: To seek public comment on a draft permit from the Department of Environmental Quality (DEQ) for the withdrawal of ground water in King William County, Virginia.

PUBLIC COMMENT PERIOD: July 9, 2010 to 5:00 p.m. on August 9, 2010

PERMIT NAME: Ground Water Withdrawal Permit issued by DEQ, under the authority of the State Water Control Board.

APPLICANT NAME, ADDRESS AND PERMIT NUMBER: West Point Veneer, LLC. 320 DuPont Street , West Point, VA 23181; GW0005600.

NAME AND LOCATION OF WATER WITHDRAWAL: West Point Veneer Mill Water System; two wells are located off of DuPont Street at about a quarter of a mile west of the intersection of State Route 30 (Main Street) and DuPont Street within the Town of West Point Corporate limit.

PROJECT DESCRIPTION: West Point Veneer, LLC. has applied for a new permit for the West Point Veneer Mill Water System in the southeastern part of the King William County, Virginia. The permit would allow the applicant to withdraw an annual average of 58,904 gallons per day. The ground water withdrawal will support a water supply for the West Point Veneer Mill. The proposed withdrawal will utilize the Chickahominy Piney Point Aquifer at a depth between 120 feet to 190 feet below the land surface at the withdrawal site. An aquifer is a body of rock or layer of sediment in the ground in which ground water is stored and transported. DEQ has made a tentative decision to issue the permit.

HOW TO COMMENT AND/OR REQUEST A PUBLIC HEARING: DEQ accepts comments and/or requests for public hearing by e-mail, fax or postal mail. All comments must be in writing and be received by DEQ during the comment period. Submittals must include the names, mailing addresses and telephone numbers of the commenter/requester and of all persons represented by the commenter/requester. A request for public hearing must also include: 1) The reason why a public hearing is requested. 2) A brief informal statement regarding the nature and extent of the interest of the requester or of those represented by the requestor, including how and to what extent of the interest would be directly and adversely affected by the permit. 3) Specific references, where possible, to terms and conditions of the permit with suggested revisions. DEQ may hold a public hearing, including another comment period, if the public response is significant and there are substantial, disputed issues relevant to the proposed permit.

CONTACT FOR PUBLIC COMMENTS, DOCUMENT REQUESTS AND ADDITIONAL INFORMATION: Dr. B. N. Sinha; DEQ Piedmont Regional Office, 4949 A Cox Road, Glen Allen, VA 23060; Phone: (804) 527-5054; E-mail: bhudeo.sinha@deq.virginia.gov; FAX: (804)527-5106.

The public may review the draft permit and related documents at the DEQ - Piedmont Regional Office every work day by appointment.



34040 Union Camp Drive
Franklin, VA 23851

June 28, 2010

Facility Mailing List

RE: Notice of Class II Permit Modification Request
International Paper, Franklin, Virginia
Facility EPA ID. No. VAD003112265

In accordance with 40 CFR 270.24(b)(2), International Paper (IP) is notifying you of a Class II permit modification request to its Hazardous Waste Management and Facility-Wide Corrective Action Permit. The Class II permit modification request was submitted to the DEQ in a letter dated June 25, 2010 (attached). Public notice of this modification request will be published in the Tidewater News on July 2, 2010 (attached).

If you have any questions concerning this letter, please contact me at 757-569-4558.

Sincerely yours,

A handwritten signature in cursive script that reads "Sheryl Raulston".

Sheryl Raulston
Environmental Health and Safety Manager

Cc: Director, VDEQ
Director, Tidewater Regional Office, VDEQ
Section Chief, Hazardous Waste Management Division, EPA, Region III
R. Schumer, IP
D. Simmons, AECOM
S. Davidson, AECOM





34040 Union Camp Drive
Franklin, VA 23851

June 25, 2010

Department of Environmental Quality
Office of Waste Permitting and Compliance
Attention: Ms. Leslie A. Romanchik, Director
629 East Main Street
Richmond, VA 23219

RE: Class II Permit Modification Request – Hazardous Waste Management and Facility-Wide
Corrective Action Permit
International Paper, Franklin, Virginia
Facility EPA ID. No. VAD003112265

Dear Ms. Romanchik,

International Paper (IP) is submitting this letter to the Virginia Department of Environmental Quality (DEQ) to request a Class II modification to its Hazardous Waste Management and Facility-Wide Corrective Action Permit (Permit) for the Mill in Franklin, Virginia.

The Permit was drafted in anticipation of reductions in the wells and analytes included in the groundwater monitoring program as the groundwater quality at the Mill improves over time. The Permit criteria for these reductions are 1) any well can be removed following three consecutive sampling events of all constituents sampled at that well being below the media cleanup requirements (MCRs) and 2) a constituent can be removed on a SWMU or area specific basis if that constituent is detected below MCRs for three consecutive sampling events at all wells being sampled at that SWMU or area. These criteria are included in Appendix D of the Permit.

Based on Permit criteria, IP requests removal of the following wells and constituents from the groundwater monitoring program:

- Well PNG-21 (Effluent Treatment System Area [SWMU 8]); and
- Lead at the Effluent Treatment System (SWMU 8).



Table 4-1 in Appendix D of the Permit list the wells and constituents in the sampling program. This table has been revised to reflect the reductions requested above and is attached in track changes format and with changes accepted to facilitate review.

IP also requests the addition of the facility's Certified Deed Title with Declaration of Restrictive Covenants under Attachment E Land Use Restriction Instrument [Reserved] of the Permit. These Restrictive Covenants were filed with the City of Suffolk, VA and Isle of Wight County, VA on June 7, 2010. A copy of the Restrictive Covenants is attached.

Payment for this Class II permit modification request will be mailed separately to the Treasurer.

If you have any questions concerning this letter, please contact me at 757-569-4558.

Sincerely yours,



Sheryl Raulston
Environmental Health and Safety Manager

Cc: Director, Tidewater Regional Office, VDEQ
Section Chief, Hazardous Waste Management Division, EPA, Region III
R. Schumer, IP
D. Simmons, AECOM
S. Davidson, AECOM

Permit - Appendix D - Table 4-1 REVISED
Proposed Sampling Locations and Constituents
International Paper
Franklin Mill, Franklin, Virginia

SWMU/Area	Monitoring Program Wells	Monitoring Program Constituents
Paper Mill	GW-11	Arsenic Antimony Chromium Vanadium
Former Highground Disposal Area (SWMU 5)	L1-2 GW-37	Arsenic Beryllium Chromium
Lime Mud Pond 1 (SWMU 2a)	GW-22 GW-39	Arsenic Chromium Lead Vanadium
Former Tall Oil Disposal Area (SWMU 4)	GW-04 GW-47 GW-46	Arsenic Beryllium Benzene Thallium
No. 4 Lime Mud Pond (SWMU 1)	LMP-2	Arsenic Chromium Vanadium
Effluent Treatment System (SWMU 8)	ASB-1 ASB-2 ASB-3	Arsenic

Public Notice and Public Meeting – Environmental Permit Modification

Purpose of Notification: To announce a public meeting and to seek public comment on a Class II permit modification request by International Paper to reduce groundwater monitoring requirements required under the facility's Resource Conservation and Recovery Act (RCRA), Hazardous Waste Management Permit.

Public Comment Period: July 2, 2010 to August 30, 2010.

Permit Name and Number: Hazardous Waste Management and Facility-Wide Corrective Action Permit, EPA ID No. VAD003112265.

Facility Name and Location: International Paper, 34040 Union Camp Drive, Franklin, VA 23851

Modification Description: In accordance with permit conditions, the facility is requesting approval to remove the following well and analyte from its groundwater monitoring program: well PNG-21 (SWMU 8) and lead (SWMU 8). These reductions meet the permit criteria for removal of being at or below media cleanup requirements for three consecutive years of sampling. This modification also includes the addition of the facility's Certified Deed Title with Declaration of Restrictive Covenants under Attachment E Land Use Restriction Instrument of the Permit. These Restrictive Covenants were filed with the City of Suffolk, VA and Isle of Wight County, VA on June 7, 2010.

TO REVIEW THE MODIFICATION REQUEST: The modification request and supporting documents can be viewed and copied at The Ruth Campbell Memorial Library, 280 North College Drive, Franklin, VA 23851. The permittee's compliance history during the life of the permit being modified is available from the Agency Contact person.

HOW TO COMMENT: DEQ accepts comments by e-mail, fax or postal mail. All comments must include the name, address and telephone number of the person commenting and be received by DEQ at the close of business on Monday, August 30, 2010 at 5:00 p.m. The public may also write to the address below to be added to the facility mailing list.

Public Meeting: Announcement – A public meeting will be held at 6:00PM on July 26, 2010 at The Ruth Campbell Memorial Library (address above). Phone: (757) 562-4801.

Permittee Contact: Ms. Sheryl Raulston, Environmental Health and Safety Manager, International Paper, 34040 Union Camp Drive, Franklin, VA 23851. Phone: (757) 569-4558.

Agency Contact Information: Mr. Brett Fisher, P.G., Environmental Specialist II, Virginia Department of Environmental Quality, P.O. Box, 10009, Richmond, VA 23240. Phone: (804) 698-4219; E-mail: Brett.Fisher@deq.virginia.gov. All comments should be submitted to Agency Contact.